## THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 6th October 1939, published under Article 141 of the Articles of Association.

| LIABILITIES | | ASSETS | |
|---|---|---|---|
| | Rs. | | Rs. |
| To Capital Receipts .. .. | 20,00,000 | By Cash in hand and at Bankers .. | 22,78,293 |
| ,, Reserve Fund .. .. | 26,50,000 | ,, Loans and Cash Credit Accounts | 185,14,553 |
| ,, Public and other Deposits .. | 282,99,564 | ,, Bills discounted and purchased.. | 15,56,477 |
| ,, Sundries .. .. | 3,92,941 | ,, Investments .. .. | 99,17,701 |
| | | ,, Balance at Agencies .. .. | .. |
| | | ,, Dead Stock .. .. | 9,35,223 |
| | | ,, Sundries .. .. | 1,40,258 |
| ,, Total Rs. | 333,42,505 | Rs. | 333,42,505 |

(Annas and pies omitted.)

BANGALORE,
*Dated 10th October* 1939.

F. L. PERADON,
*Manager.*

"I intend moving the Honourable the High Court of Mysore to enrol me as an Advocate thereof."

K. RAMACHANDRA RAO, B.A., LL.B.

## MYSORE DISTRICT.

*Notification No. D*1. 2699—35-36, *dated 4th September* 1939.

The Mysore Government Promissory Note No. C. 00242 of the 6¼ per cent loan for Rs. 50 originally standing in the name of Mr. S. Seetharamiah, Taluk Sheristedar, and last endorsed to the Dewan of Mysore, the proprietor, by whom it was never endorsed to any other person, having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

K. SUBBA RAO,
*Deputy Commissioner.*

## GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

*No. S. P. C.* 9419-26, *dated 4th October* 1939.

To

*The Firms dealing in Timber.*

*Enquiry No.* 3693.

ELAVO WOOD PLANKS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Elavo Wood Planks" with the above enquiry number.

This enquiry will be closed on the 20th October 1939.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | Elavo Wood Planks cut in pieces of the following sizes for packing serum bottles. | *Planks.* | *Bangalore.* The prices to be quoted should be for the lot of each item. | |
| 1 | $25'' \times 11\frac{1}{2}'' \times \frac{3}{4}''$ .. .. .. | 1,000 | | |
| 2 | $10'' \times 11\frac{1}{2}'' \times \frac{3}{4}''$ .. .. .. | 500 | | |

*N.B.*—The planks should be well seasoned and cut to the exact sizes specified above and should be free from all kinds of defects such as bends, knots, etc.

---

*No. S. P. C.* 9427-35, *dated 4th October* 1939.

To

*The Firms dealing in Steel Almirahs.*

*Enquiry No.* 3694.

STEEL ALMIRAHS TO THE SERUM INSTITUTE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Almirahs," with the above enquiry number.

This enquiry will be closed on the 20th October 1939.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | Steel Shelving cabinets 78"×36"×18" with 8 adjustable shelves. Painted olive green. Best steel sheets of 18 gauge and angle iron of $1\frac{1}{2}'' \times \frac{1}{8}''$ should be used throughout .. | *Two* | *Bangalore.* | |

*No. S. P. C.* 9451-63, *dated 4th October* 1939.

To

*The Firms dealing in Paraffin.*

*Enquiry No.* 3695.

PARAFFIN WAX REQUIRED FOR THE SERUM INSTITUTE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Paraffin Wax " with the above enquiry number.

This enquiry will be closed on the 20th October 1939.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | Paraffin Wax 125/30° medium white .. .. .. | 400 lbs. | *Bangalore.* | |
| 2 | 1 oz. bottles .. .. .. | 100 Gross. | | |

*N.B.*—Samples of the material offered should accompany your quotation.

---

*No. S. P. C.* 9473-95, *dated 3rd October* 1939.

To

*The Firms dealing in Telephone Cables and Accessories.*

*Enquiry No.* 3700.

TELEPHONE CABLES AND ACCESSORIES.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

1. ½—Mile Telephone Cable consists of 10 pairs of high conductivity 10 lbs. per mile copper conductors, enamelled, covered with one layer of silk and two layers of cotton and impregnated with beeswax; the requisite number of cores being twisted together, the cable so formed to be covered with a closed helical lapping of thin tape and finally sheathed with new best quality pig lead, which shall form a perfectly continuous cylindrical tube, free from pinholes, joints, mended places and defects of any kind.
2. ½—Mile same as above but consisting of 6 pairs.
   The cables shall fully conform to the latest I.S.D. specifications for these cables.
3. 3,500—Clips for fixing the cables detailed under items 1 and 2.
4. 2—Miles of Arial Cable, consisting of one pair of No. 14 B. & S. solid tinned copper conductors of the highest conductivity, insulated with one layer of pure and two layers of vulcanised India Rubber, double cotton braided; one of the insulated wires shall be fast coloured red and the other black for identification and shall be suitable for 600 volt pressure. The wires after insulation and braiding, shall have a weather-proof finish suitable for use out-doors in tropical climate and shall be twisted together. The cable shall conform to the latest B.S.S. or A.I.E.E. Standards for such cables.
5. 3—Miles of single pair telephone cable each, copper conductor weighing 20 lbs. per mile, enamelled, double cotton covered, impregnated with insulating bitumen compound and lead covered and suitable for installing out-door.
6. 1—Mile of single conductor Telephone cable do insulated as above.

7. Link clips and suitable raw plugs for twin lead covered cables :—

| | | |
|---|---|---|
| 25—boxes, | each box containing 100 of | $\frac{1}{2}$″ |
| 500—boxes | do | $1\frac{1}{2}$″ |
| 50—boxes | do | 2″ |
| 100—boxes | do | 3″ |
| 50—boxes | do | 4″ |

8. 100,000—Impregnated Brown paper sleeves 2″ long for splicing cables having 20 lbs. per mile conductors.
   10,000— Do 40 lbs. per mile conductors.
9. 300—Telephone Lightning protectors of the double pole type (British Post Office pattern) equipped with two sets of carbon block arresters mounted on a porcelain base and provided with an insulating cover and suitable for installation indoors.
10. 2—Tons Ruberoid compound (pure bitumen) for filling telephone joint and terminal boxes and suitable for use in tropical climate.
11. (*a*) 10—Cwt. Bitulic Anti-Corrosive paint white solution.
    (*b*) 1—Cwt. do green solution.
12. (*a*) (1) 12—Soldering irons 230 V—70 watts.
    (2) 6—Spare elements for above.
    (*b*) (1) 6—Soldering irons 230 V—100 watts.
    (2) 3—Spare elements for above.
13. 5—Yards Mole Skin of 30″ wide.

The tenders should be accompanied with full specifications, details of construction of the cables offered, without which no quotation will be considered.

The cables will be required to be tested in accordance with I.S.D. Specification and test certificates thereof signed by a responsible officer of the manufacturers will be required to be submitted.

The prices to be quoted should be for delivery c.i.f., Madras.

This enquiry will close on the 15th November 1939. The quotations should be submitted in duplicate.

---

*No. S. P. C.* 10409-18, *dated 5th October* 1939.

To

*The Firms dealing in Aluminium Ware.*

*Enquiry No.* 3714.

ALUMINIUM WARE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Aluminium Ware for the Jails" with the above enquiry Number.

This enquiry will be closed on the 18th October 1939.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | *Bangalore.* | |
| 1 | Aluminium eating plate 10″ dia. 18 Gauge thick | 2,200 | | |
| 2 | Aluminium Drinking vessels (chombu) Bombay pattern $4\frac{1}{2}$″ height, 20 gauge thick .. | 2,200 | | |

Samples should accompany your quotation.

*No. S. P. C. 9944-63, dated 5th October 1939.*

To

*The Firms dealing in Twist Drills.*

*Enquiry No.* 3709.

TWIST DRILLS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Bangalore City, and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Twist Drills " with the above enquiry number.

This enquiry will be closed on the 20th October 1939.

SCHEDULE.

| *Twist Drills* | *Quantity* |
|---|---|
| (1) 1–16″ | One dozen |
| 3–32″ | ,, |
| 1–8″ | ,, |
| 5–32″ | ,, |
| 3–16″ | ,, |
| 7–32″ | ,, |
| 1–4″ | ,, |
| (2) 9–32″ | ,, |
| 5–16″ | ,, |
| 3–8″ | ,, |
| 13–32″ | ,, |
| 7–16″ | ,, |
| 15–32″ | ,, |
| 1–2″ | ,, |
| 17–32″ | ,, |
| 9–16″ | ,, |
| 5–8″ | ,, |
| 31–32″ | ,, |
| 11–16″ | ,, |
| 23–32″ | ,, |
| 3–4″ | ,, |
| 25–32″ | ,, |
| 13–16″ | One dozen |
| 27–32″ | ,, |
| 7–8″ | ,, |
| 29–32″ | ,, |
| 15–16″ | ,, |
| 31–32″ | ,, |
| 1″ | ,, |
| Reamers $\frac{1}{4}$″ to 1″ | 5 dozen |
| Ordinary tool steel Rounds— $\frac{1}{2}$″ : 13′; $\frac{5}{8}$″ : 18′; $\frac{3}{4}$″ : 18′; 1″ : 18′; $1\frac{1}{8}$″ : 18′; $1\frac{1}{4}$″ : 18′; $1\frac{1}{2}$″ : 18′; $1\frac{3}{4}$″ : 18′; 2″ : 18′ | $6\frac{1}{2}$ *Cwt.* |
| Ordinary tool Steel Squares— 1″ : 36′, $\frac{3}{4}$″ : 36′ | $4\frac{1}{2}$ *Cwt.* |
| Jumper steel Octgl.—$\frac{3}{4}$″ : 18′, 1″, 18′ | $\frac{3}{4}$ *Cwt.* |
| Krupps Steel—$\frac{3}{4}$″ Sqr. 18′ : 1″ : 18′ | 1 *Cwt.* |

Yours faithfully,
T. RANGASWAMI,
*Secretary,*
*Stores Purchase Committee.*